

sub
I1 cont

in which $X_1 \dots X_n$ represents a sequence 3-4 of amino acids, wherein the amino acid sequence $X_1 \dots X_n$ is selected from the group consisting of the amino acid sequences VGG, VLSG, ATG, VSG, DSG, VVSG, ALAG, APSG and VGR, and

SEQ ID NO

- (b) a nucleotide sequence which codes for an amino acid sequence with an equivalent recognition specificity, as achieved with a T cell receptor comprising a CDR3 region with the amino acid sequence of SEQ ID NO. 23, for the peptide component of the T cell receptor ligands;
wherein the CDR3 region is at least 90% identical with the amino sequence of
(a).

sub I2

H 2

4. (Twice Amended) Nucleic acid as claimed in claim 2 wherein the amino acid sequence $X_1 \dots X_n$ is selected from the group consisting of amino acid sequences VGG, VLSG and ATG.

H 3

6. (Twice Amended) An isolated cell wherein it expresses a nucleic acid as claimed in claim 2 or 4.

sub I5

H 4

26. (Twice Amended) Pharmaceutical composition which contains as an active component a nucleic acid as claimed in one of the claims 2 or 4, or a cell as claimed in claim 6 or 7 optionally together with other active components as well as common pharmaceutical auxiliary agents, additives or carrier substances.